

Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date of issue: 20.12.2018 · 1.1 Product identifier

Trade name: PANAVIA SA Cement Universal

· Article number: 231

· Registration number Not applicable

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Resin-based dental adhesive cement

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Europe GmbH Philipp-Reis-Str. 4, 65795 Hattersheim am Main Germany

Phone:+49 (0)69 305 35835 Fax:+49 (0)69 305 98 35835 E-mail: dental@kuraray.de

· Further information obtainable from: Manufacturer

1.4 Emergency telephone number:

(UK) 08006800425 (GB)+44 20 35147487 (AU)+61 2 80363166

* 3E Company

* Kuraray Access Code:334674

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

bisphenol A diglycidylmethacrylate triethylene glycol dimethacrylate sodium fluoride

2-hydroxyethyl methacrylate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 1)

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional Information

EUH032 Contact with acids liberates very toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous compone	onts:	
0 1		
	bisphenol A diglycidylmethacrylate	1-10%
EINECS: 216-367-7	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 109-16-0	triethylene glycol dimethacrylate	1-10%
EINECS: 203-652-6	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 868-77-9	2-hydroxyethyl methacrylate	1-3%
EINECS: 212-782-2	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 7681-49-4	sodium fluoride	<1%
EINECS: 231-667-8	Acute Tox. 3, H301; () Skin Irrit. 2, H315; Eye Irrit. 2, H319	

Other ingredients:

Silanated barium glass filler

Silanated colloidal silica

Aluminum oxide filler

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aromatic dimethacrylate

Silane coupling agent

dl-Camphorquinone

Peroxide

Accelerators

Catalysts

Pigments

· Additional information: EUH032: Contact with acids liberates very toxic gas.(sodium fluoride)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Avoid contact with eyes.

Avoid contact with skin.

(Contd. on page 3)



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 2)

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** See Section 8.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 3)

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

7681-49-4 sodium fluoride

WEL Long-term value: 2.5 mg/m³ as F

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- · Protection of hands:

Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and ch	nemical properties
Appearance:	
Form:	Pasty
Colour:	Coloured
Odour:	Odourless
· Odour threshold:	Not determined
· pH-value:	Not determined
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
· Flash point:	Not determined
Flammability (solid, gas):	Not determined
· Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 5)

(Contd. on page 5)



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

		(Contd. of page
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not determined	
Vapour pressure:	Not determined	
Density:	1.8-1.9g/cm ³	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined	
Viscosity:	Not determined	
Dynamic:	Not determined	
Kinematic:	Not determined	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· L.D/L.C50	values	relevant for	classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4,680 mg/kg (guinea pig) 3,275 mg/kg (mouse) 5,050 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number	V.:1	
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)



Printing date 09.01.2019 Version number 1 Revision date: 09.01.2019

Trade name: PANAVIA SA Cement Universal

(Contd. of page 6)

- · Directive 94/33/EC: Care should be taken when people under 18 handle this product.
- Directive 94/85/EEC: No further relevant information available.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of ingredient is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB